


Yamaha Propellers

Propellers for Two Stroke Models 2-15 HP and Four Stroke Models F2.5-F20 (continued)

Diameter	Pitch	Blades	Rotation	Material	HUB	Part No.
ALUMINUM 9.9 15 F15C F20						
9 1/2	6 1/2	3	RH	AL	pressed in	683-45949-00-00
9 3/4	6 1/2	3	RH	AL	pressed in	683-W4592-02-00
9 1/4	8	3	RH	AL	pressed in	683-45947-00-00
9 3/4	8	3	RH	AL	pressed in	683-W4591-02-00
9 1/4	9	3	RH	AL	pressed in	683-45945-00-00
9 1/4	9 3/4	3	RH	AL	pressed in	683-45952-00-00
9 1/4	10 1/2	3	RH	AL	pressed in	683-45943-00-00
9 1/4	12	3	RH	AL	pressed in	683-45941-00-00
ALUMINUM CUPPED 9.9 15 F15C F20						
9 1/4	9	3	RH	AL	pressed in	63V-45945-10-00
9 1/4	8	3	RH	AL	pressed in	63V-45947-00-00
9 1/4	10	3	RH	AL	pressed in	63V-45952-10-00
9 1/4	11	3	RH	AL	pressed in	63V-45943-10-00
9 1/4	12	3	RH	AL	pressed in	63V-45941-10-00

F Series Propellers for 3.0" Gearcases Yamaha Models 20, 25, C25, F25, and 30

Diameter	Pitch	Blades	Rotation	Material	HUB	Part No.
 PERFORMANCE 3						
10 1/8	10	3	RH	SS	pressed in	MAR-GYT3B-02-10
10 1/8	11	3	RH	SS	pressed in	MAR-GYT3B-02-11
10 1/8	12	3	RH	SS	pressed in	MAR-GYT3B-02-12
10 1/8	13	3	RH	SS	pressed in	MAR-GYT3B-02-13
10 1/8	14	3	RH	SS	pressed in	MAR-GYT3B-02-14
ALUMINUM						
9 7/8	8	3	RH	AL	pressed in	664-45943-01-00
9 7/8	9	3	RH	AL	pressed in	664-45941-01-00
9 7/8	10 1/2	3	RH	AL	pressed in	664-45945-00-00
9 7/8	11 1/4	3	RH	AL	pressed in	664-45947-01-00
9 7/8	12	3	RH	AL	pressed in	664-45954-01-00
9 7/8	13	3	RH	AL	pressed in	664-45949-02-00
9 7/8	14	3	RH	AL	pressed in	664-45943-01-00
DUAL THRUST™ ALUMINUM						
10 5/8	8 1/4	3	RH	AL	pressed in	6J8-W4591-00-00

 indicates most popular propeller family per engine group/gearcase size

BOLD type indicates most popular pitches | **SDS*** = Shift Dampener System

Yamaha Propellers

G Series Propellers for 3.5" Gearcases

Yamaha Models T25, F30, 40, C40, F40, E48, 50, C50, F50, 55, F60

Diameter	Pitch	Blades	Rotation	Material	HUB	Part No.
ALUMINUM						
12 1/4	8	3	RH	AL	pressed in	63D-45941-00-00
12 1/4	9	3	RH	AL	pressed in	663-45956-01-00
11 3/4	10	3	RH	AL	pressed in	663-45954-01-00
11 5/8	11	3	RH	AL	pressed in	69W-45947-00-00
11 3/8	12	3	RH	AL	pressed in	663-45952-02-00
11 3/8	12	3	RH	AL	pressed in	69W-45952-00-00
10 5/8	12	3	RH	AL	pressed in	6H5-45952-00-00
10 3/8	13	3	RH	AL	pressed in	6H5-45945-00-00
11 1/8	13	3	RH	AL	pressed in	69W-45945-00-00
10 1/4	14	3	RH	AL	pressed in	6H5-45958-00-00
11 1/4	14	3	RH	AL	pressed in	663-45958-01-00
11 1/4	14	3	RH	AL	pressed in	69W-45958-00-00
10	15	3	RH	AL	pressed in	6H5-45943-00-00
11	15	3	RH	AL	pressed in	69W-45943-00-00
10 3/4	16	3	RH	AL	pressed in	663-45949-01-00
10 3/4	17	3	RH	AL	pressed in	663-45941-01-00
DUAL THRUST™ ALUMINUM						
12 1/4	9	3	RH	AL	pressed in	68U-45941-00-00
PAINTED STAINLESS STEEL						
12	11	3	RH	SS	pressed in	663-45972-60-00
11 3/4	12	3	RH	SS	pressed in	663-45970-60-00
10 5/8	13	3	RH	SS	pressed in	663-45974-02-00
11 1/2	13	3	RH	SS	pressed in	663-45974-60-00
10 1/4	14	3	RH	SS	pressed in	663-45930-00-00
11 1/4	14	3	RH	SS	pressed in	697-45970-00-00
10 1/4	15	3	RH	SS	pressed in	663-45976-00-00
10 1/4	16	3	RH	SS	pressed in	663-45978-00-00
PERFORMANCE 3						
10 1/2	12	3	RH	SS	pressed in	MAR-GYT3B-03-12
10 1/2	13	3	RH	SS	pressed in	MAR-GYT3B-03-13
10 1/2	14	3	RH	SS	pressed in	MAR-GYT3B-03-14
10 1/2	15	3	RH	SS	pressed in	MAR-GYT3B-03-15

 indicates most popular propeller family per engine group/gearcase size

BOLD type indicates most popular pitches | **SDS*** = Shift Dampener System

Yamaha Propellers

K Series Propellers for 4.25" Gearcases

Yamaha Models T50, C60, E60, P60, T60, 70, F70, P75, C75, E75, F75, F80, 90, C90, F90, F100, 115, C115, F115, P115, 130

Diameter	Pitch	Blades	Rotation	Material	HUB	Part No.
----------	-------	--------	----------	----------	-----	----------

DUAL THRUST™ ALUMINUM

14	11	3	RH	AL	pressed in	68S-45941-00-00
----	----	---	----	----	------------	-----------------

ALUMINUM

14	11	3	RH	AL	pressed in	6E5-45954-00-00
----	----	---	----	----	------------	-----------------

13 5/8	13	3	RH	AL	pressed in	6E5-45949-00-00
--------	----	---	----	----	------------	-----------------

13 5/8	14	3	RH	AL	pressed in	6E5-45958-00-00
--------	----	---	----	----	------------	-----------------

13 1/2	15	3	RH	AL	pressed in	6E5-45947-00-00
--------	----	---	----	----	------------	-----------------

13 1/4	17	3	RH	AL	pressed in	6E5-45945-01-00
--------	----	---	----	----	------------	-----------------

13	19	3	RH	AL	pressed in	6E5-45941-00-00
----	----	---	----	----	------------	-----------------

12 5/8	21	3	RH	AL	pressed in	6E5-45943-00-00
--------	----	---	----	----	------------	-----------------

13	23	3	RH	AL	pressed in	6E5-45952-00-00
----	----	---	----	----	------------	-----------------

13	25	3	RH	AL	pressed in	6E5-45956-00-00
----	----	---	----	----	------------	-----------------

PERFORMANCE 3

13 1/4	14	3	RH	SS	pressed in	MAR-GYT3B-V4-14
--------	----	---	----	----	------------	-----------------

13 1/4	14	3	LH	SS	pressed in	MAR-GYT3B-L4-14
--------	----	---	----	----	------------	-----------------

13 1/4	16	3	RH	SS	pressed in	MAR-GYT3B-V4-16
---------------	-----------	----------	-----------	-----------	-------------------	------------------------

13 1/4	16	3	LH	SS	pressed in	MAR-GYT3B-L4-16
--------	----	---	----	----	------------	-----------------

13 1/4	18	3	RH	SS	pressed in	MAR-GYT3B-V4-18
--------	----	---	----	----	------------	-----------------

13 1/4	18	3	LH	SS	pressed in	MAR-GYT3B-L4-18
---------------	-----------	----------	-----------	-----------	-------------------	------------------------

13 1/4	20	3	RH	SS	pressed in	MAR-GYT3B-V4-20
--------	----	---	----	----	------------	-----------------

13 1/4	20	3	LH	SS	pressed in	MAR-GYT3B-L4-20
--------	----	---	----	----	------------	-----------------

13 1/4	22	3	RH	SS	pressed in	MAR-GYT3B-V4-22
--------	----	---	----	----	------------	-----------------

13 1/4	22	3	LH	SS	pressed in	MAR-GYT3B-L4-22
--------	----	---	----	----	------------	-----------------

13 1/4	24	3	RH	SS	pressed in	MAR-GYT3B-V4-24
--------	----	---	----	----	------------	-----------------

NEW TALON SDS*

13 1/2	9	3	RH	AL	SDS*	6EK-45941-00-00
--------	---	---	----	----	------	-----------------

13 1/2	10 1/2	3	RH	AL	SDS*	6EK-45943-00-00
--------	--------	---	----	----	------	-----------------

13 1/2	12	3	RH	AL	SDS*	6EK-45945-00-00
---------------	-----------	----------	-----------	-----------	-------------	------------------------

13 1/2	14	3	RH	AL	SDS*	6EK-45947-00-00
--------	----	---	----	----	------	-----------------

13 1/2	16	3	RH	AL	SDS*	6EK-45949-00-00
--------	----	---	----	----	------	-----------------

DEEP V

13 1/2	17	3	RH	AL	pressed in	68V-45941-00-00
--------	----	---	----	----	------------	-----------------

13 1/2	19	3	RH	AL	pressed in	68V-45943-00-00
--------	----	---	----	----	------------	-----------------

 indicates most popular propeller family per engine group/gearcase size

BOLD type indicates most popular pitches | **SDS*** = Shift Dampener System